



High Power Mobile Signal Booster for Villa Coverage Quad Band 75db Industrial Strength

Our Product Introduction

for more products please visit us on signals-booster.com

Basic Information

- Place of Origin: GUANGDONG
- Brand Name: GREEMBLT
- Model Number: JY-811
- Price: \$214.30/sets 1-9 sets
- Packaging Details: Normal Carton Package
- Supply Ability: 1000 Set/Sets per Week




Product Specification


- Type: Universal
- Network: 4g, 3G, 2G, GSM DCS WCDMA 2G 3G 4G
- Product Name: High Power Mobile Signal Booster
- Mobile Signal Booster: High Power Mobile Signal Booster
- Function: Signal Extender
- Gain-dBi: 75dB $\pm$ 1.5dB
- Max Output Power: 25dBm $\pm$ 1.5dB
- Connector: N-Female Connector
- Coverage: 5000sqm
- Operating Temperature: -10°C ~ +55°C
- Product Size: 285*260*58mm
- Highlight: 75db mobile signal booster,
75db mobile network signal booster,
gsm mobile signal booster



More Images



Product Description



Stronger Signals, Smoother Communication**Product Description****Electrical Specifications**

Model	JY811
Frequency Range-MHz	700MHz Uplink:699-716MHz Downlink 729-726MHz 850MHz: Uplink :824-849MHz Downlink::869-894MHz 800MHz: Uplink :832-862MHz Downlink::791-821MHz 900MHz: Uplink : 880-915MHz Downlink::925-960MHz 1700MHz: Uplink :1710-1755MHz Downlink::2100-2155MHz 1800MHz: Uplink : 1710-1785MHz Downlink::1805-1880MHz 1900MHz : Uplink :1850-1910Mhz Downlink::1930-1990MHz 2100MHz: Uplink : 1920-1980MHz Downlink::2110-2170MHz 2600MHz : Uplink : 2500-2570MHz Downlink::2620-2690MHz 2300MHz : Uplink : 2300MHz Downlink::2400MHz 2500Mhz : Uplink : 2495MHz Downlink:2695MHz 3500MHZ: Uplink : 3300MHz Downlink::4200MHz
Network	GSM DCS WCDMA 2G 3G 4G
Gain-dBi	75dB $\pm$ 1.5dB
Max Output Power	25dBm $\pm$ 1.5dB
Impedance-Ω	50 ohm
Connector	N-Female Connector
Power Supply	AC 90-264V or 100-240V,DC 10V or 12V,50/60Hz
Coverage	5000sqm
Noise Figure	$\leq$ 6dB


Environment Conditions	IP40
Installation Type	Wall Installation
Product Size	285*260*58mm
Package Size	450*310**85mm







Accessories & Installation



How it Installs:

1. Locate Signal Walk around your building and see which side receives the best signal on your phone using your bars, or free signal meter apps. **2. Outdoor Antenna** Install the outside antenna on your roof as high as possible, pointed toward your carrier's cell tower and on the side of your home that receives the strongest cellular signal.

(Tip: It's important that the Outside Antenna should be on or near the edge of the roof pointing away from the house to the cell tower and NOT pointing across the roof since it may cause interference with the Inside Antenna.) **3. Connect Cable** Connect the included cable to the outside antenna and run it inside your home to the port labeled "outside antenna" on the booster. **4. Indoor Antenna** Place the indoor antenna in an area where you typically had poor signal. Then run a cable to the "inside antenna" port on your booster.

(Tip: Having enough separation between the two antennas prevents oscillation. Make sure there are at least 10 feet vertical and 32 feet horizontal distance between the two.) **5. Connect Power** Once you have decided on the ideal location of each component, power the booster with the power supply

Company Introduction

Shenzhen Jiayi Technology Co., Ltd. is a global leading manufacturer of mobile signal amplifiers, dedicated to providing exceptional communication enhancement solutions for commission agent customers worldwide. Our high-performance signal amplifiers significantly improve call quality, data speeds, and network connectivity, regardless of our clients' locations.

We have a global presence and have established long-term partnerships with a wide range of B2B clients, including telecommunications operators, enterprises, hotels, and government agencies. Our outstanding products and customizable solutions have earned us an excellent reputation in the market.

At Shenzhen Jiayi Technology Co., Ltd., our professional team consists of experts and engineers from the telecommunications industry, committed to providing the best technical support. We are continuously innovating to meet the evolving communication needs of our clients while prioritizing customer satisfaction.

If you are seeking a high-quality manufacturer of mobile signal amplifiers, Shenzhen Jiayi Technology Co., Ltd. is your preferred partner. We look forward to collaborating with you to enhance your communication experience.





Certifications

[illegible][illegible]

22	COMMERCIAL NEWS SERVICE INC. 610	September 1992
Monitors Java Technology For .Cml EMC REPORT		
Project no.	Monitors Java Technology For .Cml	
Author	Steven Seidling 601 Oakdale St., Ste. 100, Little Rock, Arkansas 72209-3000, USA. Tel: 501/225-2200. Fax: 501/225-2201. E-mail: sseidling@seidling.com	
Editor	Monitors Java Technology For .Cml	
Abstract	Monitors Java Technology For .Cml	
Keywords	Steven Seidling 601 Oakdale St., Ste. 100, Little Rock, Arkansas 72209-3000, USA. Tel: 501/225-2200. Fax: 501/225-2201. E-mail: sseidling@seidling.com	
Classification	EMC, Java, .Cml	
Reviewed	Yes	
Editorial comments	EMC	
Additional comments	Seidling S J (1992)	
Notes	1. EMC defines a "Commercially Available Product" as a product that is available for sale to the general public. It does not include products that are available only to a limited number of customers or that are available only to a limited number of customers.	
Year first	Ms. 86, 862, 863, 864	
Date of report	Ms. 86, 862	
Classification	EMC 862-864	

[illegible][illegible]




Stevens Institute of Technology Co., Ltd.

RoHS Reporting

Applicant: Stevens Inst. Technology Co., Ltd.
Address: Stevens Institute of Technology, 401 W. Green Road, Hoboken, NJ 07030, U.S.A.
The following is/are: ☒ Declaration of Compliance ☐ Declaration of Non-Compliance ☐ Declaration of Intent to Comply
☒ Declaration of Compliance ☐ Declaration of Non-Compliance ☐ Declaration of Intent to Comply

Sample Type: Sample
Component: connector
Accessories: none
Additional Details: connector (1)
Sample Description: The Declaration of Compliance for the RoHS Directive (2002/95/EC) of the European Parliament and of the Council of 18 December 2002 concerning the restriction of use of certain hazardous substances (RoHS Directive) is hereby confirmed for the following product:

Test Requested: Declaration of Compliance for the RoHS Directive (2002/95/EC) of the European Parliament and of the Council of 18 December 2002 concerning the restriction of use of certain hazardous substances (RoHS Directive)

Test Material: Declaration of Compliance for the RoHS Directive (2002/95/EC) of the European Parliament and of the Council of 18 December 2002 concerning the restriction of use of certain hazardous substances (RoHS Directive)

Test Result: Declaration of Compliance for the RoHS Directive (2002/95/EC) of the European Parliament and of the Council of 18 December 2002 concerning the restriction of use of certain hazardous substances (RoHS Directive)



	Institution Name: IMC Engineering Institute Ltd Address: 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 	
--	---	--

2	continued from Volume September 1996, p. 176	Report by: CH 00000000
Shenzhen JMC Technology Co., Ltd. JMC REPORT		
Original	Shenzhen JMC Technology Co., Ltd.	
Source	Nelson Holdings, 80, Wai Tsing Rd., 10, 4348 Hong Kong Telephone: (852) 2622-1111, Fax: (852) 2622-1112, E-mail: jmc@jmc.com.hk	
Editor	Nelson Holdings, 80, Wai Tsing Rd., 10, 4348 Hong Kong Telephone: (852) 2622-1111, Fax: (852) 2622-1112, E-mail: jmc@jmc.com.hk	
Manufacturer	Nelson Holdings, 80, Wai Tsing Rd., 10, 4348 Hong Kong Telephone: (852) 2622-1111, Fax: (852) 2622-1112, E-mail: jmc@jmc.com.hk	
Product Name	Audiofile	
Product Description	Audiofile is a software program that can be used to create and manage a digital audio library. It can be used to create a digital audio library from a collection of audio files, or it can be used to create a digital audio library from a collection of audio files that have been converted from analog audio files.	
Manufacturer's Web Site	http://www.jmc.com.hk	
Additional Details	Shenzhen JMC, 800-800-0000	
File Information	Shenzhen JMC Technology Co., Ltd.	
Author	JMC, 80, Wai Tsing Rd., 10, 4348 Hong Kong Telephone: (852) 2622-1111, Fax: (852) 2622-1112, E-mail: jmc@jmc.com.hk	
Editor	JMC, 80, Wai Tsing Rd., 10, 4348 Hong Kong Telephone: (852) 2622-1111, Fax: (852) 2622-1112, E-mail: jmc@jmc.com.hk	
File Name	JMC, 80, Wai Tsing Rd., 10, 4348 Hong Kong Telephone: (852) 2622-1111, Fax: (852) 2622-1112, E-mail: jmc@jmc.com.hk	
File Size	JMC, 80, Wai Tsing Rd., 10, 4348 Hong Kong Telephone: (852) 2622-1111, Fax: (852) 2622-1112, E-mail: jmc@jmc.com.hk	
Report Number	JMC, 80, Wai Tsing Rd., 10, 4348 Hong Kong Telephone: (852) 2622-1111, Fax: (852) 2622-1112, E-mail: jmc@jmc.com.hk	

[illegible][illegible][illegible]

UNIVERSAL COVERAGE

INTELLIGENT AMPLIFICATION SIGNAL, SUITABLE FOR VARIOUS PLACES,
SIGNAL INSTANT FULL GRID

...



• THE CITY



• CITIES AND TOWNS



• INTENSIVE FLOOR



• HIGH-RISE OFFICE BUILDING



• THE BASEMENT



• VILLA



• THE MOUNTAINS



• RURAL

Packing & Delivery





PACKAGING CHOICE

We will pack the products carefully and safely deliver them to your hands.
Our express can be sent to various places and can be delivered.



FAQ

1. What countries is this mobile signal amplifier suitable for?

Our mobile signal amplifier is compatible with usage in various countries and regions worldwide. Regardless of your location, you can enjoy enhanced signal coverage.

2. Does installing this signal amplifier require professional skills?

No professional skills are necessary. We provide a detailed installation guide with simple and clear steps. If you encounter any issues, our customer service team is always ready to assist you.

3. Does this amplifier support 4G/LTE signals?

Yes, our mobile signal amplifier supports not only 2G and 3G signals but also 4G/LTE networks, ensuring improved signal quality in various network environments.

4. Can it be used for multiple phones simultaneously?

Yes, our signal amplifier can simultaneously support multiple phones, tablets, and other devices, providing stronger signals whether you're at home or in the office.

5. Will the signal improvement be immediately noticeable after installing the amplifier?

Yes, once the amplifier is installed and set up according to the guide, you should experience an immediate

enhancement in signal quality. However, ensure you install the amplifier in an appropriate location for optimal results.

6.Are additional accessories needed to complete the installation?

We provide a complete set of installation accessories, so you typically don't need to purchase additional items. Everything is included in our package to ensure a smooth installation process.

7.Is this amplifier legal?

Our mobile signal amplifier complies with international telecommunications standards and is legal for use in various countries.However, please note that you might need specific licenses or approvals in certain regions.

8. Can this amplifier be used in vehicles?

Yes, our mobile signal amplifier is suitable for use inside vehicles. It can enhance your signal while traveling, ensuring better connectivity on your journeys.

9.How are post-sales issues or warranties handled?

We offer a limited product warranty period, and if you encounter any problems during usage, feel free to contact our customer service team. We are dedicated to resolving any post-sales issues you may have.

10.Is this mobile signal amplifier suitable for large commercial spaces?

Yes, our signal amplifier is suitable not only for homes and small offices but also for large commercial spaces such as hotels,conference centers, and warehouses. We have different amplifier models to meet various signal range requirements.

Contact Us

If you are interested in our signal booster and need more details,please feel free to contact with me.Thanks

Coco Wu

Sales Manager



Shenzhen Jiayi Technology Co., Ltd.


www.greemblt.com

 +86 18025474587

 +86 18025474587

 coco@jiayi-technology.com

 Factory Building 407, Building B, No. 41, Lixin Road, Danzhutou Community, Nanwan Street, Longgang District, Shenzhen City, Guangdong Province

Wechat



Whatsapp



 **Shenzhen Jiayi Technology Co., Ltd.**

 +86 18825260857

 18825260857@163.com

 signals-booster.com

Factory Building 407, Building B, No. 41, Lixin Road, Danzhutou Community, Nanwan Street, Longgang District,
Shenzhen City, Guangdong Province, PR China Zip 518000