



## 50 Ohm Input Impedance 15dBi Gain Flat Panel Antenna For 2G 3G 4G Repeater

Our Product Introduction

for more products please visit us on [signals-booster.com](http://signals-booster.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: JY
- Model Number: JY-PA01
- Price: \$65.50 - \$108.50/sets
- Packaging Details: Normal pack



### Product Specification

- Type: Directional Panel Antenna
- Gain: 15dBi-18dBi
- Frequency: 800-2700MHz
- Beam Width(0°): H:65 V:30
- Input Impedance: 50
- Max Power(W): 400
- Networks: 2g/3g/4g
- Radome Color: Gray
- Size: 65\*280\*80mm/1200\*280\*80mm
- Package Weight: 5KG/7KG
- Quality Warranty: 24month
- Highlight: **15dBi Gain Flat Panel Antenna,  
50 Ohm Flat Panel Antenna**



### More Images



## Product Description

50 Ohm Input Impedance 15dBi Gain 800-2700MHz Flat Panel Antenna for 2G 3G 4G Repeater

### Product Description



Our Product Introduction

for more products please visit us on [signals-boosters.com](http://signals-boosters.com)











### Specification

item	value
Frequency rang	800-2700mhz
Brand Name	JIAYI
Model Number	JY-PA01
Working Temperature	-40 -60
Gain	15dBi-18dBi
Connector model	N Female
antenna size (mm)	650*280*80mm/1200*280*80mm
Packing size(mm)	720*340*150mm 1235*315*150
Color	Gray
Weight	5kg/7kg
Quality warranty	24month

### Company Profile

Shenzhen Jiayi Communication Technology Co., LTD. Has been in the communication industry for 20 years. We have a strong design and development of signal amplifier/Antenna technology, the production manufacturing capacity. Can solve Europe and the United States. Asia, the Middle East and other regions poor mobile signal problem, with strong technology, quality products, service customers around the world, to solve the problem of numerous customers mobile phone no network signal, poor network signal, our company will continue to research and development, innovation. In the 5G era, our 5G mobile signal enhancer will also come out. I hope that our company will continue to develop,

innovate and serve more customers




# CERTIFICATE




Application





## Installation diagram

Base station (signal source)



The cell phone signal booster could be used for  
home/ office / basement / village / garage



## Packing & Delivery


Logistics : DHL/UPS/FedEx/EMS/TNT/ARAMEX Air transport, sea transport, logistics line ect

Package Type: Normal pack

# PACKAGE

► The manually measured size of the package is only for reference. Normally, there is 1-3CM difference. Please help to understand!

► Other package and logo pls click contact supplier to send inquiry.

<b>SMALL</b>  28CM 24CM 34CM	<b>MS Carton</b>
	Dimension: 34*28*24cm
	Volume: 5KG
	Quantity : 1 Kit
	Including: Mobile Signal Repeater X 1; Indoor Antenna X 1; Outdoor Antenna X 1; Coaxial cable X 2; Power Supply X 1; Instruction Manual X 1; Others.

<b>MIDDLE</b>  36CM 26CM 46CM	<b>BIG</b>  43.5CM 43.5CM 69.5CM
--	---

<b>B4 Carton</b>	<b>B6 Carton</b>
Dimension: 46*36*26CM	Dimension: 69.5*43.5*43.5CM
Volume: 9KG	Volume: 26KG
Quantity: 4 Kits	Quantity: 5 Kits



## Why Choose Us

### Our Customers



- 1.Sample Orders are supported.
- 2.Fast delivery.We can send the sample in 1days after getting your payment
- 3.OEM ODM service is available. We can make customized logo,frequency on product and packing according to your requirement.
- 4.2 year warranty
- 5.CE approval

**IF YOU ARE INTERESTED IN OUR PRODUCTS  
PLEASE CONTACT US**



Contact person: **Alice Lin**



Tel(WhatsApp): **+86 15920098120**

 **Shenzhen Jiayi Technology Co., Ltd.**



+86 18825260857



18825260857@163.com



signals-booster.com

Factory Building 407, Building B, No. 41, Lixin Road, Danzhutou Community, Nanwan Street, Longgang District,  
Shenzhen City, Guangdong Province, PR China Zip 518000