



10 Watts Signal Extender DCS 1800mhz Cellular Booster 2g 3g 4g Phone Repeater GREEMBLT

Our Product Introduction

for more products please visit us on signals-booster.com

Basic Information

- Place of Origin: GUANGDONG
- Brand Name: GREEMBLT
- Model Number: JY825-10W-40dbm
- Price: \$571.50/pieces 1-9 pieces
- Packaging Details: Normal Carton Package
- Supply Ability: 1000 Set/Sets per Week



Product Specification

- Type: Universal
- Network: 4g, 3G, 2G, GSM DCS WCDMA 2G 3G 4G
- Product Name: High Power Mobile Signal Booster
- Mobile Signal Booster: High Power Mobile Signal Booster
- Function: Signal Extender
- Gain-dBi: 94dB $\pm$ 1.5dB
- Max Output Power: 40dBm $\pm$ 1.5dB
- Optical Power (JBm): 9
- Coverage: 40000sqm
- Operating Temperature: -20 ~55 ;
- Package Size: 420*400*300mm
- Highlight: 1800mhz phone repeater,
1800mhz signal extender, gsm phone repeater



More Images



Product Description

Stronger Signals, Smoother Communication




Product Description

Electrical Specifications

Model	JY825
Frequency Range-MHz	700MHz Uplink:699-716MHz Downlink 729-726MHz 850MHz: Uplink :824-849MHz Downlink::869-894MHz 800MHz: Uplink :832-862MHz Downlink::791-821MHz 900MHz: Uplink : 880-915MHz Downlink::925-960MHz 1700MHz: Uplink :1710-1755MHz Downlink::2100-2155MHz 1800MHz: Uplink : 1710-1785MHz Downlink::1805-1880MHz 1900MHz : Uplink :1850-1910MHz Downlink::1930-1990MHz 2100MHz: Uplink : 1920-1980MHz Downlink::2110-2170MHz 2600MHz : Uplink : 2500-2570MHz Downlink::2620-2690MHz 2300MHz : Uplink : 2300MHz Downlink::2400MHz 2500Mhz : Uplink : 2495MHz Downlink:2695MHz 3500MHZ: Uplink : 3300MHz Downlink::4200MHz
In-band intermodulation attenuation out-of-band (off-frequency)	S-36dBc/30Kz 9KHz-1GHz -36dBm/100kHz
CSM/DCS	Strip edge 2.5y outside/1GHz-12. 75GHz -33dBm/IM2
Standing wave ratio of input and output voltage	S1.5
Time delay (us)	< 5
Time delay adjustment range (US)	> 100
Optical power (JBm)	9
Light Receiving Sensitivity (DBM)	20
Light transmission distance (km)	> 20
Power supply	Near and far end machine: AC220V±20%,50± 511Z
Monitor the way	RJ-45 1, working environment temperature :-20 ~55 ; 2, working environment humidity: 15% ~ 95% 3 pressure: 70-106KP:
The work environment	4, protection level: waterproof and dustproof performance in line with the 1P65 standard



Accessories & Installation



How it Installs:

1. Locate Signal Walk around your building and see which side receives the best signal on your phone using your bars, or free signal meter apps. **2. Outdoor Antenna** Install the outside antenna on your roof as high as possible, pointed toward your carrier's cell tower and on the side of your home that receives the strongest cellular signal.

(Tip: It's important that the Outside Antenna should be on or near the edge of the roof pointing away from the house to the cell tower and NOT pointing across the roof since it may cause interference with the Inside Antenna.) **3. Connect Cable** Connect the included cable to the outside antenna and run it inside your home to the port labeled "outside antenna" on the booster. **4. Indoor Antenna** Place the indoor antenna in an area where you typically had poor signal. Then run a cable to the "inside antenna" port on your booster.

(Tip: Having enough separation between the two antennas prevents oscillation. Make sure there are at least 10 feet vertical and 32 feet horizontal distance between the two.) **5. Connect Power** Once you have decided on the ideal location of each component, power the booster with the power supply

Company Introduction

Shenzhen Jiayi Technology Co., Ltd. is a global leading manufacturer of mobile signal amplifiers, dedicated to providing exceptional communication enhancement solutions for commission agent customers worldwide. Our high-performance signal amplifiers significantly improve call quality, data speeds, and network connectivity, regardless of our clients' locations.

We have a global presence and have established long-term partnerships with a wide range of B2B clients, including telecommunications operators, enterprises, hotels, and government agencies. Our outstanding products and customizable solutions have earned us an excellent reputation in the market.

At Shenzhen Jiayi Technology Co., Ltd., our professional team consists of experts and engineers from the telecommunications industry, committed to providing the best technical support. We are continuously innovating to meet the evolving communication needs of our clients while prioritizing customer satisfaction.

If you are seeking a high-quality manufacturer of mobile signal amplifiers, Shenzhen Jiayi Technology Co., Ltd. is your preferred partner. We look forward to collaborating with you to enhance your communication experience.






Certifications

[illegible][illegible][illegible]

 SUPPLIER'S DECLARATION OF CONFORMITY	
Customer number: 1078 000 0000	
Supplier's name:	
Supplier's address:	
Supplier's telephone:	
Supplier's fax:	
Supplier's e-mail:	
Supplier's website:	
Supplier's VAT number:	
Supplier's DUNS number:	
Supplier's SIC code:	
Supplier's NACE code:	
Supplier's ISO 9001 certification:	
Supplier's ISO 14001 certification:	
Supplier's ISO 27001 certification:	
Supplier's ISO 28001 certification:	
Supplier's ISO 50001 certification:	
Supplier's ISO 45001 certification:	
Supplier's ISO 13287 certification:	
Supplier's ISO 13288 certification:	
Supplier's ISO 13289 certification:	
Supplier's ISO 13290 certification:	
Supplier's ISO 13291 certification:	
Supplier's ISO 13292 certification:	
Supplier's ISO 13293 certification:	
Supplier's ISO 13294 certification:	
Supplier's ISO 13295 certification:	
Supplier's ISO 13296 certification:	
Supplier's ISO 13297 certification:	
Supplier's ISO 13298 certification:	
Supplier's ISO 13299 certification:	
Supplier's ISO 13300 certification:	
Supplier's ISO 13301 certification:	
Supplier's ISO 13302 certification:	
Supplier's ISO 13303 certification:	
Supplier's ISO 13304 certification:	
Supplier's ISO 13305 certification:	
Supplier's ISO 13306 certification:	
Supplier's ISO 13307 certification:	
Supplier's ISO 13308 certification:	
Supplier's ISO 13309 certification:	
Supplier's ISO 13310 certification:	
Supplier's ISO 13311 certification:	
Supplier's ISO 13312 certification:	
Supplier's ISO 13313 certification:	
Supplier's ISO 13314 certification:	
Supplier's ISO 13315 certification:	
Supplier's ISO 13316 certification:	
Supplier's ISO 13317 certification:	
Supplier's ISO 13318 certification:	
Supplier's ISO 13319 certification:	
Supplier's ISO 13320 certification:	
Supplier's ISO 13321 certification:	
Supplier's ISO 13322 certification:	
Supplier's ISO 13323 certification:	
Supplier's ISO 13324 certification:	
Supplier's ISO 13325 certification:	
Supplier's ISO 13326 certification:	
Supplier's ISO 13327 certification:	
Supplier's ISO 13328 certification:	
Supplier's ISO 13329 certification:	
Supplier's ISO 13330 certification:	
Supplier's ISO 13331 certification:	
Supplier's ISO 13332 certification:	
Supplier's ISO 13333 certification:	
Supplier's ISO 13334 certification:	
Supplier's ISO 13335 certification:	
Supplier's ISO 13336 certification:	
Supplier's ISO 13337 certification:	
Supplier's ISO 13338 certification:	
Supplier's ISO 13339 certification:	
Supplier's ISO 13340 certification:	
Supplier's ISO 13341 certification:	
Supplier's ISO 13342 certification:	
Supplier's ISO 13343 certification:	
Supplier's ISO 13344 certification:	
Supplier's ISO 13345 certification:	
Supplier's ISO 13346 certification:	
Supplier's ISO 13347 certification:	
Supplier's ISO 13348 certification:	
Supplier's ISO 13349 certification:	
Supplier's ISO 13350 certification:	
Supplier's ISO 13351 certification:	
Supplier's ISO 13352 certification:	
Supplier's ISO 13353 certification:	
Supplier's ISO 13354 certification:	
Supplier's ISO 13355 certification:	
Supplier's ISO 13356 certification:	
Supplier's ISO 13357 certification:	
Supplier's ISO 13358 certification:	
Supplier's ISO 13359 certification:	
Supplier's ISO 13360 certification:	
Supplier's ISO 13361 certification:	
Supplier's ISO 13362 certification:	
Supplier's ISO 13363 certification:	
Supplier's ISO 13364 certification:	
Supplier's ISO 13365 certification:	
Supplier's ISO 13366 certification:	
Supplier's ISO 13367 certification:	
Supplier's ISO 13368 certification:	
Supplier's ISO 13369 certification:	
Supplier's ISO 13370 certification:	
Supplier's ISO 13371 certification:	
Supplier's ISO 13372 certification:	
Supplier's ISO 13373 certification:	

 SANYO VIDEO TAPES CORPORATION CO., LTD.  Sanyo Inc. CINCINNATI, OH	
Sanyo VHS Technology Co., Ltd. FCC REPORT	
Signature	Shunichi Kato, Director, U.S.A.
Authorized Representative	Shunichi Kato, Director, U.S.A. or, Tatsuroh, Executive Director, Japan
Product Name	Model Number
Trademark	Agency
Model Number	Serial Number
Labelled Country	Shunichi Kato, Director, U.S.A.
Location	401, Mt. Shasta, 1, Springfield, Springfield, Pa. Mount Fuji
Use Date	Dec. 31, 1979
Date of Report	Dec. 31, 1979
Report Number	(211) 682-101010

SEARCHED INDEXED SERIALIZED FILED MAR 29 1998 FBI - NEW YORK		Report No. CT-773 81-1000 Date
Shoshone Sky Development Co., Ltd. RoHS Report		
Applicant Address City State Zip Country	Shoshone Sky Technology Co., Ltd. No. 100, Zhongxing Rd., No. 10, Xinyi Town, Xinyi District Taipei, Taiwan Taiwan 100	
The following material is submitted and identified as one of the above as:		
Sample Name Description Material Chemical Composition Additional Address Sample Number/Date	Sample (Circuit board) FR-4 (Circuit board) No. 10, 10/15/98	
Testing Period Date Reported Date Received Date Tested Date Shipped	No. 10, 10/15/98 to No. 10, 10/15/98 No. 10, 10/15/98 No. 10, 10/15/98 No. 10, 10/15/98 No. 10, 10/15/98	
The following material is submitted and identified as one of the above as:		
Report No. CT-773 81-1000 Date		

[illegible][illegible][illegible][illegible][illegible]

Application

UNIVERSAL COVERAGE

INTELLIGENT AMPLIFICATION SIGNAL, SUITABLE FOR VARIOUS PLACES,
SIGNAL INSTANT FULL GRID

...



• THE CITY



• CITIES AND TOWNS



• INTENSIVE FLOOR



• HIGH-RISE OFFICE BUILDING



• THE BASEMENT



• VILLA



• THE MOUNTAINS



• RURAL

Packing & Delivery





PACKAGING CHOICE

We will pack the products carefully and safely deliver them to your hands.
Our express can be sent to various places and can be delivered.



FAQ

1. What countries is this mobile signal amplifier suitable for?

Our mobile signal amplifier is compatible with usage in various countries and regions worldwide. Regardless of your location, you can enjoy enhanced signal coverage.

2. Does installing this signal amplifier require professional skills?

No professional skills are necessary. We provide a detailed installation guide with simple and clear steps. If you encounter any issues, our customer service team is always ready to assist you.

3. Does this amplifier support 4G/LTE signals?

Yes, our mobile signal amplifier supports not only 2G and 3G signals but also 4G/LTE networks, ensuring improved signal quality in various network environments.

4. Can it be used for multiple phones simultaneously?

Yes, our signal amplifier can simultaneously support multiple phones, tablets, and other devices, providing stronger signals whether you're at home or in the office.

5. Will the signal improvement be immediately noticeable after installing the amplifier?

Yes, once the amplifier is installed and set up according to the guide, you should experience an immediate

enhancement in signal quality. However, ensure you install the amplifier in an appropriate location for optimal results.

6.Are additional accessories needed to complete the installation?

We provide a complete set of installation accessories, so you typically don't need to purchase additional items. Everything is included in our package to ensure a smooth installation process.

7.Is this amplifier legal?

Our mobile signal amplifier complies with international telecommunications standards and is legal for use in various countries.However, please note that you might need specific licenses or approvals in certain regions.

8. Can this amplifier be used in vehicles?

Yes, our mobile signal amplifier is suitable for use inside vehicles. It can enhance your signal while traveling, ensuring better connectivity on your journeys.

9.How are post-sales issues or warranties handled?

We offer a limited product warranty period, and if you encounter any problems during usage, feel free to contact our customer service team. We are dedicated to resolving any post-sales issues you may have.

10.Is this mobile signal amplifier suitable for large commercial spaces?

Yes, our signal amplifier is suitable not only for homes and small offices but also for large commercial spaces such as hotels,conference centers, and warehouses. We have different amplifier models to meet various signal range requirements.

Contact Us

If you are interested in our signal booster and need more details,please feel free to contact with me.Thanks

Coco Wu

Sales Manager



Shenzhen Jiayi Technology Co., Ltd.



 +86 18025474587

 +86 18025474587

 coco@jiayi-technology.com

 Factory Building 407, Building B, No. 41, Lixin Road, Danzhutou Community, Nanwan Street, Longgang District, Shenzhen City, Guangdong Province

Wechat



Whatsapp



 **Shenzhen Jiayi Technology Co., Ltd.**

 +86 18825260857

 18825260857@163.com

 signals-booster.com

Factory Building 407, Building B, No. 41, Lixin Road, Danzhutou Community, Nanwan Street, Longgang District,
Shenzhen City, Guangdong Province, PR China Zip 518000