


1700MHz Phone Signal Repeater 27dBm-30dBm Output Power Industrial Cell **Booster**

Basic Information

- Place of Origin:
- Brand Name:
- Model Number:
- Price:
- Packaging Details:
- Guangdong, China GREEMBLT
- JY811
 - \$92.80/sets 1-9 sets
 - Normal packing



Product Specification

• Type: • Network:

• Product Name:

• Frequency:

• Application:


• Weight:

• Function: • Output Power:

• Gain: • Coverage:

- 4G Signal Booster 4g, GSM, 3G Mobile Signal Booster
- 1700

- Size:
- Warranty: • Highlight:
- Signal Extender 27-30dBm 75-80dB 5000sqm Office
- 6.5KG
- 285*260*58mm
- 2 Years
 - 1700mhz phone signal repeater, phone signal repeater 27dbm, 1700mhz industrial cell booster



More Images










Product Description

Enhance Signal Strength with 1700MHz Phone Signal Repeater and 27-30dBm Output Power **Cellular signal amplifier 1700 Phone signal repeater Signal strength booster**

Stronger Signals, Smoother Communication










Model	JY811		
Frequency Range	Uplink	Downlink	
700MHz	699-716MHz	729-726MHz	
850MHz	824-849MHz	869-894MHz	
800MHz	832-862MHz	791-821MHz	
900MHz	880-915MHz	925-960MHz	
1700MHz	1710-1755MHz	2100-2155MHz	
1800MHz	1710-1785MHz	1805-1880MHz	
1900MHz	1850-1910Mhz	1930-1990MHz	
2100MHz	1920-1980MHz	2110-2170MHz	
2600MHz	2500-2570MHz	2620-2690MHz	
2300MHz	2300MHz	2400MHz	
2500Mhz	2495MHz	2695MHz	
3500MHZ	3300MHz	4200MHz	
Max. Gain	75dB ±1.5dB	80dB±1.5dB	
Max. Output Power	25dBm±1.5dB	27dBm±1.5dE	
Band width	Wide Band		
Manual Gain Control	31dB,1dB step		
ALC	>25dB		
Ripple in Band	≤ 8dB		
Noise Figure	≤6dB		
VSWR	≤2.0		
RF Connector	N-Female		
Time Delay	≤1.5 μs		
Frequency stability	≤0.01ppm		
MTBF	> 50000 hours		
Impedance	50 ohm		
Power Supply	AC 90-264V or 100-240V,DC 10V or 12V,50/60Hz		
Humidity	< 90%		
Operating Temperature	-10°C ~ +55°C		
Environment Conditions	IP40		
Installation Type	Wall Installation		
Product Size	285*260*58mm		
Package Size	450*310**85mm		
BTS	interface for receiving antennas		
MS	transmitting antenna interface		



Greemblt Shenzhen Jiayi Technology Co., Ltd.					
C	+86 18825260857	3 18825260857@163.com	e signals-booster.com		
Factory Building 407, Building B, No. 41, Lixin Road, Danzhutou Community, Nanwan Street, Longgang District, Shenzhen City, Guangdong Province, PR China Zip 518000					