Our Product Introduction

for more products please visit us on signals-booster.com



2000 Square Feet 5G Signal Repeater T Mobile 5g Signal Booster For **Basement**

Basic Information

• Place of Origin: Guangdong, China

• Brand Name:

ul/FCC ID/UKCA/ ISED-Category I CERED(ELECTRIC) Certification:

 Model Number: JY814 • Minimum Order Quantity: 2 • Packaging Details: 34*24*22 • Delivery Time: 5-7 work days

L/C, D/A, D/P, T/T, Western Union, MoneyGram • Payment Terms:

Supply Ability:



Product Specification

• Highlight: 2000 Square Feet 5G Signal Repeater, Basement T Mobile 5g Signal Booster, Basement 5G Signal Repeater

Product Description

have quality Cell Phone Signal Booster, 2G/3G/4G/5G Signal Repeater, Family Set Mobile Phone Signal Amplifier 70db

Product Description

Product Features

Full Band Coverage: Compatible with 2G, 3G, 4G, and 5G signals from all carriers, suitable for various mobile devices, and

comprehensively enhancing signal quality. **High-Efficiency Signal Boosting:** Utilizing the latest signal enhancement technology, it effectively covers an area of 2000 square feet, ensuring strong signal coverage whether at home, in the office, or in the basement.









- 1,High speed digital ALC system.
- 2,LCD Large screen display input/output real signal strength.
- 3, Uplink automatic shut off when device detected self-excitation.
- 4,Uplink noise elimination will not interference base station.
- 5,Small size, light weight, good looking, high gain, low power loss.
- 6,The signal booster has a brand patent protect
- 7,Custom frequencies from single frequency to five frequency are available

Specification

5G Compatible

Only on Band B2/B4/B5/B13/B12/B17/B25/B66 5G Compatible

✓ 5G Compatible

Verizon, AT&T, T Mobile, Sprint, Cricket, Straight Talk U.S.Cellular, Metro PCs for all U.S. Carriers

Max. Gain

65 dB Max. Gain 70 dB Max Gain

Inside Antenna

- Package Content: 1* AT&T Phone Signal Booster B2/B4/B5/B13/B12/B17/B25/B66
- 1 * Indoor Ceiling Antennas
- 1 * Outdoor Directional Panel Antenna With 15 Meters (50 feet) Coaxial Cable
- 4 * Screws for Mounting 1 * English User Manual
- 1 * 5V5A Power Adapter

Instructions

1. Find the strongest direction and position of the received signal for mobiles at the top or the periphery of the building, as the location for installing the outdoor antenna,

pay attention that the location should be paid to lightning protection. The installation height should not be higher than the lightning

of the building. If it is higher than the lightning protection network. If it is necessary,

- install a lightning rod 1 meter above the outdoor antenna and ground it well.

 2. After selecting the appropriate location, fix the outdoor antenna to the wall or bracket.
- 3. Select an appropriate location in the relevant indoor location (close to the power supply and the outdoor antenna end, rain-proof, sunshine-proof and ventilation is

best location) install indoor straight machine, and fixed to the wall or bracket.

- 4. Lead the outdoor antenna to the 'BTS' (outdoor) interface, and the connection between the outdoor antenna and the amplifier is
- 5. After defining the indoor antenna installation position, fix the antenna.
- 6. The indoor antenna connected to the amplifier, one port connecting to the indoor antenna interface, and the other port connecting to the repeater's 'MOBILE' (indoor) port.





WHERE TO USE



















Package Contents

Mobile Signal Booster Unit x 1
Outdoor Antenna x 1
Indoor Antenna x 1
Coaxial Cable x 2
Power Adapter x 1
Installation Guide x 1

Greemblt Shenzhen Jiayi Technology Co., Ltd.







Factory Building 407, Building B, No. 41, Lixin Road, Danzhutou Community, Nanwan Street, Longgang District, Shenzhen City, Guangdong Province, PR China Zip 518000